

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6"

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6

KALAKYAN V

USSR / Flent Physiology. Rospirction and Matabolism.

I 1

Abs Jour

: Rof Zhur - Biol., No 22, 1958, No 99893

Author

: Mczeryen, V., and Gabriyolyan, G. G. : Academy of Sciences Armenian SSR

Inst Title

: Role of Fhellodorm in the Trenslocation of Flastic

Substances in Flants.

Orig Fub

: Dokl. AN ArmSSR, 24, No 4, 183 188, 1956

Abstract

: By meens of an especially designed interstitial gas and lyzer the ruthers essayed the composition of the intersti tirl grace of the peduncles and groom stalks of dahlie and the lost podunclos of hollyheck following their 16 and 24hour exposure to derkness or to light. The decrease in the content of CO2 and the increase in that of C2 at exposure to light ettests to the utilization of interstitiel CO2 in the process of the photosynthesis of the chlorophull rich phol lodorm. Experiments with C1402 should that the principal

Cord 1/2

KAZARYAN, V.O.; AVUNDZHYAN, B.S.

Ensymmetric activity of leaves of trees of vanous ages the activity modification in case of vegetative propagation. Dokl. AN SSSR 108 no.51958-961 Je '56. (MEMA 9:10)

1. Botanicheskiy institut Akademii nauk Armyanskoy SSR. Predstavleno akademikom A.L. Kursanovym.
(Legves) (Knzymes)

KAZARYAN V.O

Aspects of interdependence and antagonism in plant growth and metabolism. Izv. AN Arm. SSR. Biol. i sel'khos. nauki 10 no. 4:61-74 Ap '57. (NLRA 10:5)

1. Botanicheskiy institut Akademii nauk Armyanskoy SSR. (Growth (Plants)) (Botany-Physiology)

USSR/Plant Physiology. Photosynthesis

I

Abs Jour : Ref Zhur-Biol., No 13, 1958, 58176

Author

: Kanana W. Gabrielyan G. G., Agababyan V.Sh

Inst

: Academy of Sciences, Armenian SSR

Title

: On the Connection Between Photosynthesis and

the Energy of Chlorophyll Restoration

Orig Pub

: Dokl. AN Arm SSR, 1957, 24, No 5, 225-230

Abstract

: The leaves of the red-leafed short-lived perilla taken from vegetating and flowering plants, and from plants which finished blossoming were immersed in water and then placed for a period of 64 hours under continuous illumination in a gasometric chamber containing C¹⁴ The radioactivity of chlorophyll (a and b) 2. in the leaves was determined separately. A direct correlation between the quantity of chlorophyll and the C¹⁴O₂

Card 1/2

KAZARYAN, V.O.; BALAGEZYAN, N.V.

Vitality of plants obtained from rooted cuttings. Dokl. AN Arm.
SSR 25 no.4:221-225 '57. (MIRA 11:2)

1. Botanicheskiy institut AN ArmSSR. Predstavlenc M.A. Ter-Karapetyanom. (Plant cuttings) (Clover) (Alfalfa)

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6

KAZARYAN, V. O.

"The principal points of the theory of the increasing con radiction in plant ontogenesis".

report presented at a Joint Dession of the Biological Dept. of AN USSR and Biological and Medical Depts. AN Gruziya SSR, Tbilisi, 25 Sept - 30ct 1957. Vestnik Akad. Nauk SSSR, 1958, V. 28, No. 1, pp. 173-125. (author Dzidzishvili, N. N.)

KAZARYAN, V.O.; AVUNDZHYAN, E.S.; KARAPETYAN, K.A.

Effect of the rootstock on vital processes in graft leaves.

Dokl. AN Arm. SSR 26 no.2:113-117 '58. (MIRA 11:5)

1. Botnicheskiy institut Akademii nauk Armyanskoy SSR. Predstavleno M.A. Ter-Karapetyanom.

(Grafting)

KAZARYAN, V.O.: AVUNDZHYAN, E.S.: KARAPRIYAN, K.A.

Nature of the rejuvenating effect of shaping on trees and shrubs. Dokl.AN Arm.SSR 26 no.3:187-191 58. (MIRA 12:10)

1. Botanicheskiy institut AN Armyanskoy SSR. Predstavlenc N.A. Ter-Karapetyanom. (Pruning)

KAZAPYAN, V.O.; AVUNDZHYAN, E.S.; KARAPETYAN, K.A.

Changes in the composition of free amino acids in the leaves of Callistemon speciosus in connection with the alternation of generations. Dokl. AN Arm. SSR 26 no.5:309-313 158.

(MIRA 11:7)

1. Botanicheskiy institut AN AraSSR. Predstavleno M.A. Ter-Karapetyanom.

(Callistemon) (Generations, Alternating) (Amino acids)

KAZARYAN, V.O.; AVUNDZHYAN, E.S.

Changes in the amino acid composition of leaves at the beginning of the generative phase in the development of plants. Dokl. AN Arm. SSR 27 no.2:125-128 158. (MIRA 11:10)

1. Botanicheskiy institut AN Armyanskoy SSR. Predstavleno G.Kh. Bunyatnom.

(Amino acid metabolism) (Plants-Betabolism)

KAZARYAN, V.O.

Biological characteristics of the development and senescence of shrubs and semishrubs. Nauch.trudy Erev.un. 64:25-42 '58. (MIRA 11:12)

1. Kafedra fiziologii i anatomii rasteniy Yerevanskogo gosudarstvennogo universiteta. (Shrubs) (Growth (Plants))

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6"

KAZARYAN, Vagan Osipovich; CHUBARYAN, T.G., otv.red.; SHTIBEN, R.A., red.izd-va; AZIZBEKYAN, L.A., tekhn.red.

[Physiological foundations of plant ontogeny] Fisiologicheskie osnovy ontogenesa rastenii. Erevan, Izd-vo AN Armianskoi SSR, 1959. 425 p. (MIRA 13:4)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6"

KAZARYAN, V.O.; AVUNDZHYAN, B.S.

Changes in the amino acid composition of leaves of red-leaved perilla showing signs of abnormal vegetative development of the inflorescence. Dokl.AN Arm.SSR 28 no.3:133-137 '59. (MIRA 12:7)

1. Botanicheskiy institut AN ArmSSR. Predstavleno akademikom AN ArmSSR S.Kh.Bunyatyanom.
(Amino acids) (Leaves) (Perilla)

KAZARYAN, V.O., ABUNDZHYAN, R.S., KARAPETYAN, K.A.

Variation in the bound amino acid content of the different organs of the chrymanthemum at different phases of development. Dokl.AN Arm.SSR 29 no.5:245-250 159. (MIRA 13:6)

1. Botanicheskiy institut Akademii nauk Armyanskoy SSR. Predstavleno akademikom AM Armyanskoy SSR. G.Kh. Bunyatyanom.

(Amino acids)

KAZARYAN, V.O.; BALAGEZYAN, N.V.

Particulation as the principal cause of sensecence and dying away of perennial grasses with taproot systems. Izv. AN Arm. SSR. Biol. nauki 13 no.9:16-27 S *60. (MIRA 13:11)

1. Botanicheskiy institut Akademii nauk Armyanskoy SSR. (GRASSES) (GROWTH (BOTANY)) (ROOTS (BOTANY))

KAZARYAN, V. O.; ABUNDZHYAN, B.S.; KARAPETYAN, K.A.

Changes in the types of carbohydrates in the different organs of plants at different stages of development. Dokl. AN Arm.SSR 30 no.2:125-128 '60. (MIRA 13:6)

1. Botanicheskiy institut Akademii nauk Armyanskoy SSR Predstavleno akademikom AN Armyanskoy SSR G.Kh. Bunyatyanom. (Botanical chemistry) (Carbohydrates)

RAZARYAN, V.O.; YESAYAN, G.S.

Effect of pruning the apricot tree on the quantity and quality of yield. Nokl. AN Arm. SSR 30 no.5:301-307 60. (MIRA 13:8)

1. Botanicheskiy institut Akademii nauk Armyanskoy SSR. Predstavleno akad. AN Armyanskoy SSR G.Kh. Bunyatyanom.

(Apricot)

KAZARYAN, V.O.

Effect of temperature on the translocation of assimilates in plant stems. Dokl. AN ARM SSR 32 no.2:117-122 '61. (MIRA 14:3)

1. Botanicheskiy institut AN Armyanskoy SSR. Predstavleno akademikom AN Armyanskoy SSR G.Kh. Bunyatyanom. (Plants, Effect of temperature on) (Plants, Motion of fluids in)

KAZARYAN, V.O.; YESAYAN, G.S.

Effect of pruning on the growth and vital activity of apricot leaves. Izv. AN Arm. SSR. Biol. nauki 14 no.2:17-26 F '61. (MIRA 14:3)

1. Botanicheskiy institut AN ArmSSR i Institut plodovodstva i vinogradarstva ministerstva sel'skogo khozyaystva ArmSSR. (PRUNING) (ARARAT REGION—APRICOT) (LEAVES)

KAZARYAN, V.O.; BALAGEZYAN, N.V.

Internal factors determining the size of tree and shrub leaves. Izv. AN Arm. SSR. Biol. nauki 14 no.10:27-36 0'61. (MIRA 16:7)

l. Institut botaniki AN Armyanskoy SSR. (LEAVES-ANATOMY)

KAZARYAN, V.O.; KARAPETYAN, K.A.

Secretion of amino acids by plant roots. Dokl.AN Arm.SSR 32 no.3:159-162 '61. (MIRA 14:5)

1. Botanicheskiy institut Akademii nauk Armyanskoy SSR. Predstavleno akademikom AN Armyanskoy SSR G.Kh.Bunyatyanom.
(Roots (Botany)) (Amino acids)

KAZARYAN, V.O.

Ontogenetic changes in the direction of assimilate translocation in leafstalks. Dokl. AN Arm. SSR 32 no.5:239-244 '61.

1. Botanicheskiy institut AN Armyanskoy SSR. Fredstavleno akademikom AN Armyanskoy SSR.

(Plants, Motion of fluids in)

KAZARYAN, V.O.; KARAPETYAN, K.A.

Changes in the amino acid composition of leaves in proliferous plants. Dokl. AN Arm. SSR 34 no.2:89-92 '62. (MIRA 15:4)

1. Botanicheskiy institut AN Armyanskoy SSR. Predstavleno akademikom AN Armyanskoy SSR G.Kh. Bunyatyanom.
(Prolification) (Amino scids)

KAZARYAN, V.O.; KHURSHUDYAN, P.A.

Factors determining the direction of growth and the succession of roots in woody plants. Izv.AN Arm.SSR.Biol.nauki 15 no.9:9-20 S '62. (MIRA 15:11)

1. Botanicheskiy institut AN Armyanskoy SSR. (ROOTS (BOTANY)) (WOODY PLANTS)

KAZARYAN, V.O.; KARAPETYAN, KIA:

Changes in the amino acid content of almond buds during their hibernation and development. Biologia plantarum 4 no.4:269-277 62.

1. Laboratory of Physiology of the Institute of Botany, Academy of Sciences of the Armenian S.S.R., Erivan, Kanakar, Armenian S.S.R.

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6"

KAZARYAN, V.O.

The influence of pruning on the diurnal variation in the concentration of plastic substances in the leaves of Rhus aromatica L. Biologia plantarum 4 no.4:283-290 162.

1. Laboratory of Physiology of the Institute of Botany, Academy of Sciences of the Armenian S.S.R., Erivan, Kanaker, Armenian S.S.R.

KAZARYAN, V.O.; KARAPETYAN, K.A.

Effect of photoperiodism in the change in the amino acid composition of the isolated leaves of perilla. Dokl. AN Arm. SSR 36 no.4:233-236 '63. (MIRA 16:11)

1. Botanicheskiy institut AN Armyanskoy SSR. Predstavleno akademikom AN Armyanskoy SSR G.Kh. Bunyatyanom.

KAZARYAN, V.O.; GABRIYELYAN, G.G.

Identity of amino acid metabolism in bulbaceous plants during the formation of flowers and aerial bulbils. Dokl. AN Arm. SSR 37 no. 1:39-42 '63. (MIRA 16:11)

1. Botanicheskiy institut AN Armyanskoy BSR. Predstavelno akademikom AN Armyanskoy SSR G.Kh.Bunyatyanom.

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6

KAZARYAN, V.O.; DAVTYAN, V.A.

Effect of the processes of generative development on nocturnal photosynthetic depression in plants. Dokl. AN Arm. SSR 37 no.4: 231-235 63. (MIRA 17:8)

1. Botanicheskiy institut AN ArmSSR. Predstavleno akademikom AN ArmSSR G.Kh. Bunyatyanom.

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6

KAZARYAN, V.O.; BALAGEZYAN, N.V.

Diurnal change in the amino acid composition of the leaves of fruiting and barren spurs of the apple tree. Dokl. AN Arm. SSR 36 no.2: 117-121 '64. (MIRA 17:3)

1. Botanicheskiy institut AN Armyanskoy SSR. Predstavleno akademikom AN Armyanskoy SSR G.Kh.Eunyatyanom.

KAZARYAN, V.O.

Interrelationship between the intensity of photosynthes' and the work of the stomatal apparatus under the conditions of static factors. Dokl. AN Arm. SSR 39 no. 2:117-121 '64. (MIRA 17:9)

1. Botanicheskiy institut AN ArmSSR. Predstavleno akademikom AN ArmSSR V.O.Gulkanyanom.

KAZARYAN, V.O.; ARUTYUNYAN, L.V.; KARAPETYAN, S.A.

Comparative analysis of the growth and some physiological indices of trees growing in the parks and along the streets of Crivan. Izv. AN Arm. SSR. Biol. nauki 16 no.3:55-63 Mr *63. (MINA 17:10)

1. Botanicheskiy institut AN AraSSh.

KAZARYAN, v.O.; D.NOYAN, V.A.

Changes in the intensity of photosyntheris in short-day and long-day plants under similar equironmental conditions. Dokl. AN Arm.
SSR 39 no.5:313-324 464. (MIRA 18:2)

1. Botanicheakiy institut AN ArmSER. Submitted Februrary 19, 1964.

KAZARYAN, V.O.; KARAPETYAN, K.A.

Effect of pruning on the photosynthetic activity of leaves of fruit trees and - amental plants. Inv. AN Arm. SCR. Biol. nauki 17 no.10:3-13 6,164. (MIRA 18:8)

1. Botanicheskiy Institut AN ArmSSR.

Fighton, V.D.; Britshin, N.V.; EARAPETTAN, K.A. Fight of first on the physiclogical activity of apple free feathers. It no.70300019 Mr. Ap *65. (MIPA 1846) 1. Sotanicheraly Institut An Armyenskov SSR, Yerever.

"AZ' AYAN, V.O.

Nature of aging in higher plants. Dokl. AN Arm. 338 41 no.4: 122-128 '65.

1. Botanicheskiy institut W. Arassik. Submitted February 11, 1965.

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6"

1963年至1977年第178日75年

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6

KAZARYAN, V. S.

How to protect calves from pulmonary diseases. Yerevan, Aipetrat, 1953. 20 pages; In Armenian.

SG: TABCON Veterinariya; Vol. 31, No. 2, February 1954.

KAZARYAN, Ye.S.

Growing pistachio in Armenia; concerning L.A. Enfiadzhian's article Izv. AN Arm. SSR. Biol. i sel! khoz. nauki 7 no. 8:37-44 Ag '54. (MILRA 9:8)

1. Armkonservtrest.

(Armenia--Pistachio) (Enfiadzhian, L.A.)

EASE 506/13/2000 CIA-RDP86-00513R000721330009-6"

> ABS. JOUR. ; RZBiol., No. /9 195**9**, No. 87063

ROHTUA

: Kazaryan, Ye. S. Yerevan' Zootechnical-Veterinary Institute INST. : Some Wild Vegetable Plants of Armenia. TITLE

ORIG. PUB.: Tr. Yerevan'sk. zootekhn.-vet. in-ta, 1957, No 21, 151-169

ABSTRACT: The flora of Armenia includes about 200 species of plants which are used as food by the inhabitants and belonging to different families and genera. The edible wild plants are processed in considerable amounts by the food industry of the republic. A description is given of the wild edible plants which are utilized in large amounts by the inhabitants of Yerevan': Falcaria vulgaris Bernh., Chaerophyllum caucasicum Fisch., Portulaca oleoraceae, bremurus spectabilis, Hippomarathrum microcarpum M.B., Capparis spinosa L., Rumex patienta, R. crispus, R. alpims, Chenopodium album L., Malva spp., Puschkinia scilloides Ad Ferula persica Willd, Heracleum pastinacaefolium C. Koch,

CARD: 1/2

KAZARYAN, Ye.S.

Effect of foliary applied boron on yields and fruit formation in wild clover. Izv. AN Arm. SSR. Biol. nauki 13 no.5:81-85 My '60. (MIRA 13:9)

1. Kafedra botaniki Yerevanskogo zooveterinarnogo instituta.

(ARMENIA—CLOVER—FERTILIZERS AND MANURES)

(PLANTS, EFFECT OF BORON ON) (SEED PRODUCTION)

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6

KAZARYAN, Yu.A.

Gas burners for crying paint and varnish coatings. Gaz. delo no.7:37-38 164. (MIRA 17:8)

1. Akademiya kommunal'nogo khozyaystva RSFSR.

SAYADYAN, A.G.; KOCHARYAN, K.S.; AZIZYAN, A.G.; KAZARYAN, Zb.A.

Preparation of polyvinyl formal ethylal from aqueous dispersion of polyvinyl acetate. Part 2: Effect of the conditions of hydrolysis of aqueous dispersion of polyvinyl acetate on the quality of polyvinyl formal ehtylal. Icv. AN Arm. SSR. Khim.neuki 17 no.6:699-702 464. (MIRA 18:6)

1. Yerevanskiy politekhnicheskiy institut imeni Karla Marksa, kafedra tekhnologii osnovnogo organicheskogo sinteza.

ACC NR: AT6018241

AUTHOR: Kazuryants, E. S.

ORG: none *

TITLE: Objective method for forecasting of southwest cyclones in Central Asia


SOURCE: Tashkent. Universitet. Nauchnyye trudy, no. 259. Fizicheskiye nauki, no. 23, 1964. Fizika atmosfery i aviatsionnaya meteorologiya (Physics of the atmosphere and aviation meteorology), 92-101


TOPIC TAGS: cyclone, weather forecasting, weather map

ABSTRACT: The possibility was studied for establishing numerical criteria in terms of which the appearance, rate of progress, and nature of the South Caspian and Murgabskiy cyclones may be forecast. The study is based on the meteorological data of the

which the appearance, rate of progress, and nature of the South Caspian and Murgabskiy cyclones may be forecast. The study is based on the meteorological data of the Tashkent Weather Bureau for the period 1958--1962. The oriteria selected were: 1) the position of cold centers on OT_{1000}^{500} ; 2) intensity of the cold center; 3) temperature gradient of the average temperature on OT_{1000}^{500} ; 4) difference of the temperature Laplacian from the geopotential on AT_{500}^{500} ; 5) wind velocity on AT_{500}^{500} in the same region as in 4 above (see Figs. 1 and 2). It is concluded that in terms of these criteria, collected in the initial stages of cyclone formation, it is possible to predict the

Card 1/3





KAZAS, I.A.

The Phylloxera problem. Zashch. rast. ot vred i bol. 8 no.7:20-22 J1 '63. (MIRA 16:9)

1. Vsesoyuznaya protivofili.oksernaya stantsiya, Odessa.

KAZAS, M.V.

THE STATE OF THE S

Drying of peltries and fur cutouts by means of infrared rays. Kozh. cbuv. prom. 6 no.6:11:12 Je :64. (MIRA 17:9)

KISEL NIKOV, V.N.; KAZAS, T.S.

Thermochemistry of substitution in an aromatic ring. Part 1:
Heat effect on resorcin sulfonation. Zhur.ob.khim. 27 no.10:2877-2884

O 157. (MIRA 11:4)

1. Ivanovskiy khimiko-tekhnologicheskiy institut.
(Resorcinol) (Sulfonation)

KAZAS, V.

Technological parameters for the mechanization of sheep pelt dressing. Kozh.-obuv.prom. 6 no.ll:35 N 64. (MIRA 18:4)

KAZAS, V.I.

Use of the continuous action photoelectric device for studying the microstructure of clouds from an airplane. Izv. AN SSSR Ser. geofiz. no.5:805-809 My '63. (MIRA 16:6)

(Meteorological instruments)


KAZAS, V.I.; KONYSHEV, Yu.V.; LAKTIONOV, A.G.

A continuous aircraft device for measuring the size and concentration of large droplets in clouds. Izv. AN SSSR. Fiz. atm. i okeana 1 no.11:1212-1215 N '65.

(MIRA 18:12)

1. Institut prikladnoy geofiziki AN SSSR, Moskva. Submitted April 28, 1965.

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6



"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6

	ACCESSION NR: AP50	19066	engindukt:
र है के जिल्हा एड			
	1- centr	Fig. 1. al cylindrical part of the cas	ing; 2- intake tube
	J.		
	Cord 5/3		

8983-66 IWI(1)/FCC ACC NRI AP5028361 UR/0362/65/001/011/1212/1215 AUTHOR: Eazas, V. I.; Kon'shev, Yu. V.; Laktionov, A. G. ORG: Institute of Applied Geophysics (Institut prikladnoy geofiziki TITLE: Continuous airborne instrument for measuring the size and concentration of large drops in clouds SOURCE: AN SSSR. Izvestiya. Fizika atmosfery i okeana, v. 1, no. 11, 1965, 1212-1215 TOPIC TAGS: weather forecasting, meteorologic instrument, atmospheric precipitation ABSTRACT: It is known that the most important mechanism leading to the growth of cloud drops to the size of rain drops is gravitational coagulation which leads to a rapid growth of the drops if their initial diameter is greater than 50 microns. The presence in the clouds of drops larger than 50 microns also determines the possibility of the development of precapitation. The article presents details of an aircraft-mounted instrument which permits reliable data on the drops in the size range of 30 to 150 microns in diameter. A diagrammatic sketch of the instrument is shown (See Fig. 1) UDO: 551.508.7




Fig. 1 Soheme of instrument.

The basic elements of the instrument are a sensing device located on the outside of the aircraft and an electronic recording system inside the cabin. Tests of the operation of the instrument were made on board an aircraft in October, 1963. Based on data taken at the time, the article gives curves for the distribution of the integral concentrations of the drops as a function of the drop diameter. Orig. art. has: 4 formulas and 4 figures.

Cord 2/3

Card 3/3

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86=00513P00073

ZARIDZE, G.M.; KAZASHVILI, T.G.

A variety of pegmatite veins in the Northern Caucasus. Izv. vys. ucheb. zav.; geol.i razv. 2 no.8:65-70 Ag '59. (MIRA 13:4)

1. Gruzinskiy politekhnicheskiy institut. (Caucasus, Northern--Pegmatites)

KAZASKI, KW.
"Stimulative Experiments with Winter Wheat." p.265 (IZVESTIIA, Vol 2, 1951, Sofiya.)

SO: Monthly List of Russian Accessions, Library of Congress, March 1953, Unc

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6

KASASAI, FH.

"Iroduction of healthy potato seeds by planting jotatoes twice." p 15, (MCCFURGITI.NC ZENEDELIE, Vol 6, #1, 2, Jan/Feb 1951, Rulgaria)

So: Monthly List of Russian Accessions, Library of Congress, August 1953, Unc

EEINISHKI, Liuben; BOROV. Ivan; KAZASOV, Dimo; Protopolova,I., [translator]; KRAPACHEV, K., red.izd-va; ZHALOV, Yu., red.; IVANOV, I., tekhn. red.

[Bulgaria; a guidebook] Bolgariia; putevoditel'. Sofia, Meditsina i fizkul'tura, 1963. 327 p. (MIRA 16:12) (Bulgaria-Guidebooks)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6"

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6

KAZATINOV, YU. M., SOKOLOV, S. N., SILIN, I. N., AMAGLOBELI, N. S.,

"Determination of the Coupling Constant of Pion-Nucleon Interaction by Differential Cross Section for Elastic (NP)- Scattering at 90, 380 - 500, 630 Mev"

paper presented at the Intl Conference on High Energy Physics, Rochester, N. Y. and/or Berkly California, 25 Aug - 16 Sep 1960.

KAZATKIN M.R. gvardii mayor meditsinskoy slushby

Surgical treatment of the varicose enlargement of the veins of the spermatic cord. Voen.-med. shur. no.9:87 S '51. (NLRA 9:9)
(SPERMATIC CORD--BLOOD SUPPLY)

GLOZMAN, O.S.; KAZATKINA, A.P.

Blood replacement. Trudy Inst.kraev.pat. AN Hazakh.SSR 2:7-31 '54 (BLOOD-TRANSFUSION) (MIRA 10:1)

"APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6

KAZATCHAMA, N. T.

FAZZISEALA, G. C. - "Changes in the coagulability of the blood in typins and typhoid". Kiev, 1955. Kiev Order of Labor Hed Banner Acdical Inst imeni Academician A. A. Bogomolets. (Dissertation for the Degree of Candidate of Hedical Science.)

So: Enirhnaya Letopia', No. h3, 22 October 1989. Lescow

KAZATSKAYA, G.G.

Changes in the blood congulability in typhus and typhoid fever.

Vrach. delo no.1:87 Ja '57 (MIRA 10:4)

1. Kafedra infektsionnykh boleuney Kiyevskogo meditsinskogo instituta. (BLOOD--COAGULATION) (TYPHUS) (TYPHOID FRYER)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6"

LPSHESCHYM. G. G.

KAZATSKAYA, (J.G., kandidat meditsinskikh nauk

Changes in the potassium and calcium content of the blood in patients with bacillary dysontery. Vrach.delo no.9:963-965 S '57. (MLRA 10:9)

1. Kafedra infektsionnykh bolesney (zav. - prof. B.Ya.Padalka) Kiyevskogo meditsinskogo instituta (DYSENTERY) (CALCIUM IN THE BODY) (POTASSIUM IN THE BODY)

POSTOVIT, V.A.; KAZATSKAYA, G.G.

Clinical aspects and diagnosis of paratyphoid C. Vrach.delo no.10: 1093 0 159. (MIRA 13:2)

1. Kafedra infektsionnykh bolesney (saveduyushchiy - prof. B. Ya. Padalka) Kiyevskogo meditsinskogo instituta.
(PARATYPHOID FEVER)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6"

PADALKA, B. Ya., prof.; KAZATSKAYA, G.G.

Appendicitis as a mask for typhoid fever and dysentery. Vrach. delo no.4:106-109 Ap '61. (MIRA 14:6)

1. Kafedra infektsionnykh bolezney (zav. - prof. B.Ya.Padalka) Kiyevskogo meditsinskogo instituta. (APPENDICITIS) (TYPHOID FEVER) (DYSENTERY)

KAZATSKAYA, H.P.

Practical work in the principles of stockbreeding for ninth grade students. Politekn.obuch. no.8:38-40 kg '57. (MLRA 10:9)

]. Proletarskaya srednyaya shkola No.1 Rostovakov oblesti. (Stock and stockbreeding-Study and teaching)

MARCHERKO, N.A., kend. tekhn. nauk; RAYHER, Z.S., inzh.; KAZATSKAYA,

Ye.N., inzh.; ZHUKOVA, V.I., red.; FOLICHEV, A.G., red.izdva; BOL'SHAKOV, V.A., tekhn. red.

[Applying copper coatings from an ammonia electrolyte]Nanesenie mednogo pokrytiia iz ammiachnogo elektrolita. Leningrad, 1961. 21 p. (Leningradskii dom nauchno-tokhnichenkoi propagandy. Obmen peredovym opytom. Seriia: Zashchitmye pokrytiia, no.13)

(MIRA 15:10)

hydrometric works on the irrigation systems by water apparabuses with semiconductors." Mos, 1957. 11 pp (Min of Agriculture USSR, All-Union Academy of Agricultural Sciences im
Hydraulic
Lenin, All-Union Sci Res Inst of Hydrathan Engineering and
Melioration), 100 copies (KL, 2-58, 113)

-34-

KAZATSKER, A.A.

SUBJECT:

USSR/Irrigation

99-3-3/7

AUTHOR :

Kazatsker, A.A. Engineer.

TITLE:

Automation of Hydrometric Tasks at Irrigation Systems by the Application of Instruments Equipped with Semiconductors. (Avtomatizatsiya gidrometricheskikh rabot na orositel'nykh sistemakh s ispolizovaniyem apparaty na peluprevodnikakh)

PERIODICAL:

Gidrotekhnika i Melioratsia, 1957, Issue No 3, Pages 22-27,

(USSR)

ABSTRACT:

The delivery and the distribution of water constitutes the main task of an irrigation system. Operative efficiency can be increased by the use electric telemeters. Hewever, the telemeters used by industry can not be utilized by irrigation projects, due to existing conditions, such as leng distances between central control points and points to be served, lack of electric power, etc. Tests conducted by the author have disclosed the necessity of taking 6 exact measurements during each 24 hours. Telemeters for irrigation systems ought to be reliable and uncomplicated, not requiring difficult adjustments and having few moving parts.

Card 1/2

CIA-RDP86-00513R00072/1/330009-6" APPROVED FOR RELEASE: 06/13/2000

TITLE:

Automation of Hydrometric Tasks at Irrigation Systems by the Application of Instruments Equipped with Semiconductors. (Avtomatizatsiya gidrometricheskikh rabot na eresitel'nykh sistemakh s ispol'zevaniyem apparaty na poluprovednikakh)

Instruments equipped with semiconductors fill these requirements, and in addition, offer the advantage of long service. As a result of research work carried out by the Federal Institute for Hydrotechnics and Melioration, a frequency-type telemeter operating on semiconductor triodes in connection with an RC generator was constructed. The basic deviation of this telemeter, disregarding the outside factors, is # 1%. Such a telemeter can be installed in irrigation systems without necessitating considerable re-equipment of hydretechnical installations. The semiconductor triede units will supply the dispatcher's office with up-to-date and reliable data and reduce the number of eperating personnel. The article centains & figures.

ASSOCITATION: PRESENTED BY: SUBMITTED: AVAILABLE:

At the Library of Congress.

Card 2/2

507/99-59-4-5/10

Anisimov, V.A., Candidate of Technical Sciences, and AUTHOR:

Kazatsker, A.A., Engineer

On the Problem of Supplying Electric Power for the TITLE:

Automation of Melioration Systems (K voprosu energeticheskogo obespecheniya avtomatizatsii melio-

rativnykh sistem)

Gidrotekhnika i melioratsiya, 1959, pp 32-36 (USSR) PERIODICAL:

The authors analyze the possibility of rendering ABSTRACT:

Soviet irrigation systems fully automatic and reject it as being too expensive. For example, the project concerning full automation of the Nizhne-Donskoy magistral nyy kanal (Lower Don Main Canal) calls for construction of a special 6-kv line along with several step-down transformer stations. This alone brings about a 50% rise in the costs of construction of the automation equipment. Therefore,

the idea of controlling the irrigation systems Card 1/3

CIA-RDP86-00513R000721330009-6"

APPROVED FOR RELEASE: 06/13/2000

SOV/99-59-4-5/10

できるとはは、これのは、これできるとは、これでは、

On the Problem of Supplying Electric Power for the Automation of Melioration Systems

mechanically and telemechanically seems more economical since a water gate needs only a maximum of 0.76 kw/hr per irrigation season, i.e., the power to open and close the water gate 200 times. The most appropriate source of power would be in this case an alcali cadmium-nickel storage battery of the 10 MMN-100-type which is 884 x 173 x 388 mm. Its volume amounts to 100 ampere-hrs having a total reserve of electric power of 1.25 kw/hr. One such battery costs only 1,440 rubles according to the 1955 price index. The costs for installing such a battery into a water lock will not exceed 3-4,000 rubles as compared with 30-35,000 rubles to be spent on electric equipment of a single water lock of the Lower Don Main Canal project, not to speak of the additional personnel for maintenance and repair. An-

Card 2/3


SOV/99-59-4-5/10

On the Problem of Supplying Electric Power for the Automation of Melioration Systems

other example for an estimate of low-cost telemechanic control is the Kul'-Arykskaya irrigation system (irrigation area - 22,000 hectares) which would require only 80-100 storage batteries of the 10 MMN-100-type.

ASSCCIATIONS: VASKINIL, (Anisimov), VNIIGIM (Koratsker)

Card 3/3



S/194/61/000/007/029/079 D201/D305

AUTHOR:

Kazatsker, A.A.

TITLE:

Transistorized telemetering equipment for irriga-

tion systems

PERIODICAL:

Referativnyy zhurnal. Avtomatika i radioelektronika, no. 7, 1961, 55-56, abstract 7 V408 (V sb. Poluprovodnik. pribory i ikh primeneniye, no. 5, M., Sov.

radio, 1960, 264-271)

TEXT: A description is given of the telemetering apparatus TA (TA) for automatic level measurement in hydraulic engineering installations of irrigation systems and for transmitting indications to the control room. The TA equipment consists of a transmitter and receiver coupled by a communication line. The equipment is based on a transistorized frequency type telemetering system, in which the changes in the measured parameter are converted into the changes of frequency of alternating current transmitted by the communication

Card 1/2

ı/

Transistorized telemetering...

S/194/61/000/007/029/079 D201/D305

line. A calibrated receiver shows the frequency changes. The uses of the above system makes it possible to have one line only for simultaneous transmission of several indications. The TA has a "zero" level control for the whole of the telemetering channel. This permits taking into account all errors arising in the channel owing to the instability of individual elements. The description is given of basic circuits and of the mechanical construction together with the results of experiments with the described TA. Abstracter's note: Complete translation

V

Card 2/2

KAZATSKIY, Sh., predsedatel'.

The main thing in socialist competition. Sov.profsoiusy 1 no.4:37-40 D 153. (MLRA 6:12)

1. Komitet professional*nogo soyusa Odesskogo mavoda Radial*no-sverlil*-nykh stankov.
(Socialist competition) (Machinery industry)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6"

KAZATSKIY, YE.

4495

Rezervy Privodyatsya V Deystviye. (Odes. Zaucd Radial'no -Sverlil'nykh Stankov. M.)
Profizdat, 1954. 80 s. s ill. 20 sm. 10.000 Ekz. r. 20 K. -(55-419) F 621.952.002: 658.5

SO: Letopis' Zhurnal'nykh Statey, Vol. 37, 1949

30851. KAZAVCHINSKIY, Ya. Z.

K raschetu ezhektora. Nauch. trudy (Odes. in-t inzhenerov mor. flota), vyp. 8, 1919, s. 22-37.

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721330009-6"

KAZĄVCH	msn14. 4.6.				· · · · · · · · · · · · · · · · · · ·	
ν.	USSR.	•				
	A method of determining the countains for the virial form of the equation of state for a real gas. Ya. Z. Karavchin-					
	by itse of the Young, Proc. et al., C.A. ill real gas, equal of the virial gas.	determining the constant to state for a real gas. Abd. Nauk S.S.S.R. (thermodynamic data fre plays. Sec. (London) 13. (1. 8363°) on the thermod lons are therelosed for the intigat. The values of the E.H., CH., NH., and H.	15, 1000-5(1000); mearlier work (S. 1000(1893); Michels, ynamic surface of a calcu. of the const. conste. are given for 100.			
		-				
;						
	: :					
	· i	•	1	dies - degas .		

Name: KAZAVCHINSKIY, Yakov Zakharevich

Tissertation: Study of Thermal Properties and the

Method of forming the equation for the state of Real Gases

Dogree: Poc Tech Sci

Affiliation: Odessa Inst of Engineers of the

Naval Floet

Defense Date, Place: 30 Pec 55, Council of Moscow Order of

Lonin Power Engineering Inst imeni

Molotov

Certification Date: 13 Oct 56

Source: BMVO 6/57

CIA-RDP86-00513R000721330009-6" AID P - 1333 APPROVED FOR RELEASE: 06/13/2000

Subject

: USSR/Engineering

Card 1/1

Pub. 110-a - 15/19

Authors

: Kazavchinskiy, Ya. Z., Kand. of Tech. Sci. and Martynovskiy, V. S., Doc. of Tech. Sci.

Title

: Zhukovskiy, V. S., Engineering Thermodynamics. (Review)

Periodical

: Teploenergetika, 2, 57-59, F 1955

Abstract

The textbook on engineering thermodynamics of


Zhukovskiy, V. S., 3 rd. ed., revised, published by Gostekhizdat in 1952, is reviewed.

Institution:

None

Submitted

No date



KAZAYCHINSKIT, Ta.; EATERE, O.

Calculation of the saturated vapor elasticity curve. Mol.tekh.

(NIRA 8:10)

(Vapor pressure)

KAZAVCHINSKIY, YA. Z.

Category: USSR / Physical Chemistry

Thermodynamics. Thermochemistry. Equilibrium. Physico-

chemical analysis. Phase transitions.

B-8

Abs Jour: Referat Zhur-Khimiya, No 9, 1957, 29864.

: Fazavchinskiy Ya. Z., Katkhe O. I. Author

: not given Inst

: Calculation of Calorific Values of Real Gases According to p,v,T Data Title

by the Method of Graphic Differentiation.

Orig Pub: Teploenergetika, 1956, No 7, 23-26

Abstract: The proposed procedure of graphic differentiation of data has been

evolved as a result of development of the previously published method of formulation of the equation of state of a real gas (RZhKhim, 1955, 18283). This procedure of graphic differentiation can be utilized over the entire region of temperature and density variation, including those regions which are not encompassed by the equation of state, and also the regions for which the previously described method is not suitable (Deming W.E., Shupe L. E., Phys. Rev., 1931, 37, 638; 38, 2245; 1932, 40,

848).

-8- Kilisar Smot. Naval Flest Eng. Keers Card

: 1/1

KAZAVODANANY YAZ.

Category: USER/Atomic and Felecular Physics - Gases

P-7

Abs Jour : Ref Zhur - Fizike, No 3, 1957, No 6375

Author : Kczevchinskiy, Ye.Z.

Title : The Configuration of the Thermodynamic Surface and a Rational

Equation of Strte for a Real Gas.

Orig Pub : Nauch. tr. Odessk. in-t inzh. mor. flota, 1956, vyp. 12, 28-37

Abstract: Consideration of the isochere sections of the thermodynamic surface for real pases leads to the conclusion that these condigurations are close to linear and that if the equivalent temperature T > 3 they become linear. For a more convenient description of a real thermodynamic surface, it is proposed that the surface be considered as two surfaces: a linear one, the limiting-critical one, and its supplement, the "____-surface." The equation for the "limiting-critical" surface is given

in the form $\frac{PV}{RT_k} = RT_{p} = a_1(\tau - 1) +$

$$+\sqrt{1+\frac{\alpha_1}{\psi}+\frac{\alpha_2}{\psi^2}+\frac{\alpha_4}{\psi^4}+\frac{\alpha_6}{\psi^6}-\frac{\alpha_8}{\psi^8}}$$
 (1)

Cerd : 1/3

APPROXED FOR RELEASE: n.06/13/2400p.ysi.GIA-RDP86-00513R000731330009-6"

Abs Jour: Ref Zhur - Fizike, No 3, 1957, No 6375

end that for the "△ -surface"

$$\triangle = \rho \left[\psi(\tau) - \psi(1) \right]$$
 (2)

where F, V, R, and T_k have the usual significance, π , φ and τ are the equivalent pressure, volume and temperature respectively, while n_1 , n_2 , n_4 , n_6 and n_8 are functions of the equivalent volume

and ψ is a function of ∇ only. The complete equation of state for real gas is of the following form

$$\frac{FV}{RT_{k}} = \left(1 + \frac{b_{0}}{\varphi} + \frac{5/8}{\varphi} + \frac{b_{0}^{2}}{\varphi}\right) (\tau - 1) + \dots$$

$$+ \frac{(1 + \frac{\alpha_1}{4} + \frac{\alpha_2}{4^2} + \frac{\alpha_4}{4^2} + \frac{\alpha_6}{4^2} + \frac{\alpha_6}{4^2} + \frac{\alpha_8}{4^2}) + \frac{c(\frac{1}{4^2} - 1)}{(n-1)^2}$$
 (3)

Cerd 1 2/3

AUTHOR:

Kazavchinskiy, Ya.Z., Dr.Tech.Sci.

sov/96-58-7-7/22

and Kathher Orler Engineer.

TITLE:

The equation of state for steam (Uravneniye sostoyaniya diya

vodyanogo para.)

PERIODICAL:

Teploenergetika, 1958, Wost S No.7., pp. 26-30 (USSR)

ABSTRACT:

In a previous article in Teploenergetika No.7., 1958, the formulation of the equation of state for steam was based on reference thermal data obtained by graphical-analytical consideration of experimental data. The equation of state is given in dimensionless co-ordinates. It is then converted into a form convenient for the calculation of thermal and calorific values, and consists of four functions, each of which depends on only one variable. These are termed the elementary functions of the equation of state; three depend only on the density, and one only on the temperature. Three are found as series of powers, by a procedure which is not quite the same as previously. The methods of obtaining the elementary functions are explained. The final equation of state is derived and is subjected to detailed checking, the results of which are given. Calculated and reference values of the dimensionless complex pv/RTk are given in Table.1; differences up to 0.3% are found in some cases. Table.2. gives a comparison of calculated and skeleton table data of this dimensionless complex in the sub-critical region; agreement is good.

Card 1/2

The equation of state for steam.

SOV/96-58-7-7/22

A similar comparison for enthalpy is given in Table.4., and the differences are acceptable. Specific heats at constant pressure are compared in Table.5: the values differ from those of other authors by not more than 2% over most of the range, but the difference is 6 - 12% near the saturation curves at sub-critical pressures and near the maxima at super-critical pressures. It is remarked that experimental determinations are, of course, particularly difficult in these regions. There are 5 tables and 12 literature references (7 Soviet, 4 English and 1 German)

ASSOCIATION: Odesskiy Institut Inghenerov Morskogo Flota (Odessa Institute of Marine Engineers)

1. Steam - Mathematical analysis 2. Equations of state - Applications 3. Steam - Specific heat

Card 2/2

CIA-RDP86-00513R000721330009-6

AUTHOR:

Kazavchinskiy, Ya.Z., Dr.Tech.Sci.

SOV/96-58-7-11/22

1.ITLE:

The determination of elementary functions of the equation of state of a real gas from experimental thermal data. (Opredeleniye elementarnykh funktsiy uravneniya sostoyaniya real'nogo gaza po opytnym termicheskim dannym.)

PERIODICAL:

Teploenergetika, 1958. Vol. 5, No.7, pp. 44-48 (USSR)

ABSTRACT:

Although the equation of state of a real gas cannot be derived by the classical methods of thermodynamics, they can be used to indicate the structure of the equation. If the temperature and specific volume are taken as independent variables, then all the magnitudes that are functions of the state of the body can be uniquely determined in terms of these independent variables, including in particular the difference between the specific heat at constant volume of the real gas and a perfect gas. Using this principle and well-known thermodynamic relationships, an integral equation is derived for the pressure. It is shown that one term in this equation is small, particularly at higher temperatures; a secon term is called the linear term and the third the non-linear term. In this equation the non-linear term is of very simple mathematical structure and can, therefore, be expressed simply. If the temperature and pressure are chosen as the independent variables, an integral equation of similar structure is arrived at; but the non-linear term is far from small in comparison with the linear

Card 1/3

The determination of elementary functions of the equation of state 80V/96-58-7-11/2 of a real gas from experimental thermal data.

and is a very complex function. Therefore, the work is based on the use only of temperature and volume as independent variables. The equation derived is then reduced to dimensionless form by introducing the ratios of the temperature to the critical temperature and of the critical volume to the volume. It is shown that the formula cam be further simplified when these ratios lie between certain values. The object of the present article is to show how to sub-divide the non-linear part of the dimensionless equation using experimental data for only moderate temperatures. For this purpose the structure of the non-linear part of the equation is studied. A careful analysis is made of the surface of state of a real gas with particular reference to isochoral sections. The p-v-T data are plotted in dimensionless form on isochores and isotherms. Available experimental data for steam were used to construct the isotherms and isochores given in Figs. 1. and 2. respectively; the shapes of the curves are discussed. A further function is then derived that depends only on the non-linear part of the equation of state, and may be used to analyse the structure of that equation. Isotherms of this function are given in Fig. 3. It is then shown that the formulation of the equation of state for a real gas, from experimental data for p-v-T, consists in finding three or four functions that depend on the

Card 2/3

The determination of elementary functions of the equation of $\frac{\text{SOV}/96-58-7-11/22}{\text{state of a real gas from experimental thermal data.}}$

density and one elementary function depending on temperature. The determination of the elementary functions of the equation of state of a real gas is then considered. Taking first a simple case, it is shown that the formulation of the equation consists in finding the temperature function of the non-linear part. The procedure for doing this is explained; use is made of the construction shown in Fig.4. The procedure for deriving the necessary functions from different isotherms is explained. A worked example is given of a formulation for ethane on the basis of published experimental data. The equation satisfied the experimental data over their entire range with divergencies of less than 0.1%, except in a few points where it is somewhat greater. Investigations made with steam showed that calorific values calculated from the equation that was drawn up by the method proposed are in good agreement with experiment. There are 4 figures and 2 literature references (English).

ASSOCIATION: Odesskiy Institut Inzhenerov Morskogo Flota (Odessa Institute of Marine Engineers)

- 1. Gases Properties 2. Equations of state Applications
- 3. Mathematics Applications

Card 3/3

KAZAVCHINSKIY, Ya.Z.; KESSEL'MAN, P.M.

Basic data on the specific volume of water and water vapor.
Inzh.-fiz. zhur. no.7:3-7 Jl 159. (MIRA 12:10)

l.Institut inshenerov morskogo flota, g. Gdessa. (Water) (Water vapor)

5 (3,4) Kazavchinskiy, Ya. Z., Zagoruchenko, V. A. SOV/153-2-2-6/31 AUTHORS: TITLE: Equation of State and the Thermodynamic Properties of Ethane (Uravneniye sostoyaniya i termodipamicheskiye svoystva etana) PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Khimiya i khimicheskaya tekhnologiya, 1959, Vol 2, Nr 2, pp 180 - 182 (USSR) ABSTRACT: The equation suggested here was derived according to the latest experimental investigations (Ref 1-6). Expressed in dimensionless coordinates, it appears as follows: $\sigma = \alpha_0 + \alpha_1 \cdot \tau + \beta \cdot \Psi$ (1), with σ - the dimensionless complex (being $\frac{pv}{RT_k}$, α_0 and β being elementary functions of the equation, dependent on the re-Y - the temperature function dependent $\frac{\mathbf{T}}{\mathbf{T}_{\mathbf{E}}}$). Without dwelling on the on the reduced temperature T = method of deriving the elementary functions of equation (1), the authors only point out that the best way was found for doing justice to the experimental data, namely by representing α_{α} , α_{1} and β as polynomials which contain the first, the second Card 1/3

Equation of State and the Thermodynamic Properties of SOV/153-2-2-6/31 Ethane

and the fourth of the next even numbered exponents of the mentioned density. At the same time it was found that the temperature functions for ethane can be represented with sufficient accuracy in a very simple expression: $Y = \frac{1}{\sqrt{3}}$. The suggested

equation can be applied for all practically necessary temperatures in the given sphere of density G = 0 - 1.6. A comparison could prove that the thermal values computed on the basis of the equation, are in exact accordance with the experimental data (Refs 1,2). As it was shown in investigations (Ref 4), the equation computed according to methods here described, is of great use, not only for the computation of the thermal values, but also for the computation of the caloric values in a wide range of parameter variations. For ethane enthalpy and entropy S were computed for several temperatures and densities, and were compared to the statements of reference 1. This comparison showed that the caloric values easily found by means of the state equation, correspond to the values of reference 1 (achieved through a more troublesome graphic method). Another equation frequently used in other countries (Ref 8), does not guarantee the neces-

Card 2/3

CIA-RDP86-00513R000721330009-6

Equation of State and the Thermodynamic Properties of SOV/153-2-2-6/31 Ethane

> sary accuracy of the computation of the thermal values. Therefore the tables of thermodynamic properties of ethane computed by means of that equation, are not reliable and their application may lead to wrong results. There are 8 references, 3 of which are Soviet.

ASSOCIATION: Odesskiy institut inshenerov morskogo flota; Kafedra termodinamiki i obshchey teplotekhniki (Odessa Institute for Naval Engineers Chair for Thermodynamics and General Heat Technology)

SUBMITTED:

January 31, 1958

Card 3/3

SOV/76-33-3-24/41

5(4) AUTHORS: Kazavchinskiy, Ya. Z., Zagoruchenko, V. A.

TITLE:

The Equation of State and Thermodynamic Properties of Propylene (Uravneniye sostoyaniya i termodinamicheskiye svoystva propilena)

PERIODICAL:

Zhurnal fizichoskoy khimii, 1959, Vol 33, Nr 3, pp 662 - 664 (USSR)

ABSTRACT:

Card 1/2

THE RESIDENCE OF THE PROPERTY OF THE PROPERTY

The Equation of State and Thermodynamic Properties of Propylene

SOV/76-33-3-24/41

for the elementary function of equation (1) by the abovementioned methods (Ref 1). It was therefore possible to determine very accurately the thermal properties of propylene by extrapolation within the range of high and low temperatures. The equation of state completely corresponds to the critical point and the curve of saturation. It was shown by a comparison between the thermal values on the curve of saturation according to data from Ref 4 and values computed according to the present equation of state (Table) that within the range of a change in density $\omega = 0 - 2.5$ the maximum error is 1%, while it is 4% in the case of @ = 2.6. Consequently, the equation may be employed for setting up tables of the thermodynamic properties of propylene; in addition, it is the first equation of state that holds for the liquid as well as for the gas phase. There are 1 table and 6 references, 1 of which is Soviet.

ASSOCIATION:

Odesskiy institut inzhenerov morskogo flota (Odessa Insti-

tute of Marine Engineers)

SUBMITTED: Card 2/2

TTED: August 11, 1957

7

MANAGES A

5(4) SOV/76-33-5-6/33

AUTHORS: Kazavchinskiy, Ya. Z., Tsoyman, G. I. (Odessa)

TITLE: The Equation of State of Freon-41 (Methylfluoride) (Uravneniye

sostoyaniya freona-41 (metilftorida))

PERIODICAL: Zhurnal fizicheskoy khimii, 1959, Vol 33, Nr 5,

pp 992 - 996 (USSR)

ABSTRACT: In a previous paper (Ref 2) $\sigma = \alpha_0 + \alpha_1 \tau + \beta \psi$ was derived for

the equation of state of a real gas and the methods of analytical determination of the coefficients $\alpha_0, \alpha_1, \beta$, and the

graphic-analytical determination of the function ψ was given This paper uses the experimental data for p, v, and T obtained by Michels (Ref 3). The equations for three isothermal lines are formulated; the critical isothermal line 44.6°C (in dimensionless coordinates $\tau=1$), 100° C ($\tau=1.174351$), and 150° C ($\tau=1.331707$). The equation of the isothermal lines runs as follows: $\sigma=\tau+B\omega+C\omega^2+D\omega^4+E\omega^5$. The values for B, C, D, and E are shown in table 1. The graphic-analytical determination of the temperature function ψ showed that it

can be represented with sufficient accuracy by

Card 1/2 $\Psi = \frac{1}{T^2}$. On account of these equations of isothermal